

GENERAL SHELTERS SPECIFICATION SHEET

Building Size 14' x 24'
Roof Style Mono Slope Roof 12"OH
Porch 4' x 4' Corner Style
Floor:
 Skids: Double Skids (3/3)
 Insulation: None
 Joists: 2" x 8" on 16" Center
 Decking: 3/4" Subfloor
Floor Covering:
 Tile: Pick a tile
 26oz. Carpet: _____

Doors:
 Exterior Door: 1 36"x80" Fiberglass Out Swing
 Exterior Door: _____
 Door Insert: Full Glass Picture
 Door Insert: _____
 Door Color: _____
 Interior Doors 1 32" Flat Panel Stain Grade

Exterior:
 Walls: 8' to 7' Walls
 Studs: 2" x 4" x 91.5" on 16" Center
 Bottom Plate: 2" x 4"
 Top Plate: Double 2" x 4"
 Sheathing: House Wrap Only
 Insulation: R-15 Fiberglass
 Siding: 29 ga. _____
 Window Trim: 29 ga. _____

Windows:
 Window Type: Vinyl
 1 18"x 36" Low E Insulated
 4 36"x 66" Low E Insulated

 Window Color: _____
 4" Band Color: 2x4 Natural Cedar

Interior:
 Studs: 2" x 4" x 91.5" on 16" Center
 Covering: Paneling: _____
 Cabinets: Color: _____
 Trim: All Cedar
 Counter Top: _____
 Closets: rod and shelf
 Pantry: _____
 Misc.: _____
 Mirror: _____

Electrical:
 Load Center: 1 200 Amp Exterior Panel
 Wiring: #12 Romex
 Receptacles: 9 15 amp. Brown
 GFI Receptacles: 2 GFI Interior 1 Exterior GFI
 Lighting: 0 Ceiling Fan
 Lighting: 6 LED Disk
 Lighting: 0 Galvanized
 Porch Light 1 Galvanized
 Misc.: 0 Smoke Detector
 Exhaust Fans: 1 110 CFM Exhaust Fan

Roof:
 1 24" x 36" Bathroom
 Truss: 2"x8" Joist on 24" Centers
 Ceiling: 29ga. Galvalume
 Insulation: R-30 Fiberglass (Gables Only)
 Decking: Radiant 7/16" OSB w/ Felt Paper
 Roofing: 26ga. _____
 Rake Trim: 26ga. _____
Anchor Straps: 2 Skid Attached - Field Installed

Plumbing:
 Bathroom #1: 1 60" Shower w/seat Kit
 Bathroom #2: _____
 Water Closets: Elongated
 Lavatory: Porcelain Sink
 Water Heater: 19kw In Line
 Faucet Type: Residential Brass Body
 Sink: Stainless Single Bowl

HVAC:
 A/C - Heating: 15,000 Heat / Cool PTAC Unit

Appliances:
 _____ 0
 _____ 0
 _____ 0
 _____ 0
 _____ 0
 _____ 0

SPECIAL ITEMS:
 1 30" Wainscot of Cedar Front _____
 1 Cedar Metal Porch _____
 1 Undercount Refrigerator _____

Model: Office sq.ft. 336
 Dealer: _____
 Approval: _____
 Date: _____

bus: 936-598-3389
 fax: 936-598-7717
 www: generalshelters.com
 2/5/2024

