

GENERAL SHELTERS SPECIFICATION SHEET

Building Size 14' x 26'
Roof Style Gable w/ No Overhang
Porch 14' x 4' Closed Style
Floor:
 Skids: Double Skids
 Insulation: None
 Joists: 2" x 8" on 16" Center
 Decking: 3/4" Subfloor
Floor Covering:
 Tile: VCT Beige Taupe
 26oz. Carpet: _____

Doors:
 Exterior Door: 1 36"x80" Fiberglass Out Swing
 Exterior Door: _____
 Door Insert: 1/2 Glass Picture
 Door Insert: _____
 Door Color: _____
 Interior Doors 1 32" Flat Panel Stain Grade

Exterior:
 Walls: 8' Walls
 Studs: 2" x 4" x 91.5" on 16" Center
 Bottom Plate: 2" x 4"
 Top Plate: Double 2" x 4"
 Sheathing: House Wrap Only
 Insulation: R-15 Fiberglass
 Siding: 29 ga. _____
 Window Trim: 29 ga. _____

Windows:
 Window Type: Vinyl
 1 18"x 36" Low E Insulated
 1 30"x 36" Low E Insulated
 2 36"x 66" Low E Insulated

 Window Color: _____
 Shutter Color: _____

Interior:
 Studs: 2" x 4" x 91.5" on 16" Center
 Covering: Paneling: _____
 Cabinets: Color: _____
 Trim: All Cedar
 Counter Top: _____
 Closets: rod and shelf
 Pantry: _____
 Misc.: _____
 Mirror: 1 24" x 36" Bathroom

Electrical:
 Load Center: 1 200 Amp Exterior Panel
 Wiring: #12 Romex
 Receptacles: 6 15 amp. Brown
 GFI Receptacles: 2 GFI Interior 1 Exterior GFI
 Lighting: 0 Ceiling Fan
 Lighting: 2 LED Disk
 Lighting: 1 Galvanized
 Porch Light 1 Galvanized
 Misc.: 1 Smoke Detector
 Exhaust Fans: 0 110 CFM Exhaust Fan

Roof:
 Truss: Engineered on 24" Center
 Ceiling: 5/16" Sea Spray Sheetrock
 Insulation: R-30 Fiberglass (Gables Only)
 Decking: Radiant 7/16" OSB w/ Felt Paper
 Roofing: 26ga. _____
 Rake Trim: 26ga. _____
Anchor Straps: 3 Skid Attached - Field Installed

Plumbing:
 Bathroom #1: 1 36" Square Shower Kit
 Bathroom #2: 1 _____
 Water Closets: Elongated
 Lavatory: Porcelain Sink
 Water Heater: 19kw In Line
 Faucet Type: Residential Brass Body
 Sink: Stainless Single Bowl

HVAC:
 A/C - Heating: 18,000 Heat/Cool Thru Wall Unit

Appliances:
18 cu.ft. Refrigerator 1 Stainless
Full Size Range 1 Stainless

SPECIAL ITEMS:

Model: TumbleWeed sq.ft. 364
 Dealer: _____
 Approval: _____
 Date: _____

bus: 936-598-3389
 fax: 936-598-7717
 www: generalshelters.com 2/5/2024

